UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



Antimicrobials Division (AD) April 8, 2013

DP BARCODE(s):

407482

MRID(s):

48992201, 48992204, 49042401, 49042402

Supplemental MRIDs 49090001 and 49090003

SUBJECT:

(Name of Product)

Pathex Antimicrobial Filter Media

FILE SYMBOL:

88965-R

DOCUMENT TYPE: Product Chemistry Review

Manufacturing-use []

OR

End-use Product [X]

INGREDIENTS:

PC Code

CAS#

Ingredient Name

107403

199111-50-7

1-Octadecanaminium, N, N-dimethyl-N-[3-(trihydroxysilyl)

propyl],chloride

TEST LAB:

American Analytical Laboratories

Product Safety Laboratory

SUBMITTER:

A S Filtration, Inc..

GUIDELINE:

Product Chemistry Groups A and B

ORGANIZATION:

AD\PSB\CTT

REVIEWER:

Earl Goad

APPROVED BY:

Karen P. Hicks

DATE APPROVED: April 8, 2013

COMMENT:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460





Antimicrobials Division (AD)

April 8, 2013

MEMORANDUM

SUBJECT: Product Chemistry Review for EPA File Symbol. 88965-R

Product Name: Pathex Antimicrobial Filter Media

DP Barcode(s): 407482

CODE: (A540) New Product

DATE DUE: May 6, 2013

FROM: Earl Goad, Biologist

Chemistry and Toxicology Team

Product Science Branch

Antimicrobials Division (7510P)

THRU: Karen Hicks, Team Leader

Chemistry and Toxicology Team

Product Science Branch

Antimicrobials Division (7510P)

TO: Velma Noble PM#31/Cletis Mixon

Regulatory Management Branch I Antimicrobials Division (7510P)

Applicant: A S Filtration, Inc.

PRODUCT FORMULATION FROM LABEL:

Active Ingredient(s):	% by wt.
3-(Trihydroysilyl) propyldimethyloctadecyl ammonium chloride	0.05
Other Ingredient(s):	99.95
Total:	100.00

Inert ingredient information may be entitled to confidential treatment

BACKGROUND:

On behalf of A S Filtration, LLC, toXcel, LLC has submitted an application to register their new product "Pathex Antimicrobial Filter Media" EPA File Symbol 88965-R. The product is produced by coupling the active ingredient from a registered source to silica sand. The proposed label describes the use of the product is for "reduction and control of waterborne bacteria in storm water, industrial, agricultural systems, and water destined for routine water purification. The product is produced from an EPA registered source.

The data package includes.

- Cover and study transmittal letter from toXel LLC dated November 13, 2012.
- EPA Forms: 8570-1(Application), 8570-34 (certification for Data Citation), 8570-27(Formulators Exemption), and 8570-35 (Data Matrix) dated November 9, 2012.
- 3. Original Confidential Statements of Formula for Basic Alternate and Alternate dated November 9, 2012. Proposed Product Label dated November 8, 2012.
- Communication from Mike Kelly (toXel LLC) to Velma Noble (EPA) dated January 23, 2013 including three attachments: (1) Method Development – PSL study number 34896,(2) Revised CSFs, (3) Analytical Industrial Research Laboratories Pathex QC Reports.
- Communication from Mike Kelly (toXel LLC) to Earl Goad dated January 25, 2013.
- 6. Replacement Confidential Statements of Formula for Basic and Alternate dated January 23, 2013.
- 7. Final Revised CSFs for Basic Alternate and Alternate Dated March 26, 2013.
- 8. Three Product Chemistry Studies.

MRID	Citation	
48992201	Burnside, C. (2012) Pathex Antimicrobial Filter Media: Product Chemistry. Unpublished study prepared by ToXcel, LLC. 128p.	13-Nov- 2012
48992204	Kelley, J. (2012) Pathex - Overview of Product Performance. Unpublished study prepared by ToXcel, LLC. 28p.	13-Nov- 2012
49042401	Bumside, C. (2013) Product Chemistry Data - Product Identity, Composition, Analysis, and Physical/Chemical Characteristics: Final Report. Unpublished study prepared by ToXcel, LLC. 7p. (Addendum to MRID# 48992201)	23-Jan- 2013
49090001	Patterson, R. (2013) Pathex Antimicrobial Filter Media: Preliminary Analysis and Enforcement Analytical Method: Supplemental Data to Support MRID 48992201. Unpublished study prepared by Analytical Industrial Research Laboratories. 64p.	27-Mar- 2013
49090003	Burnside, C.; Kelley, M. (2013) Pathex Antimicrobial Filter Media: Addendum to MRID 48992201: Correspondence Regarding EPA Review of Product Chemistry Data. Unpublished study prepared by ToXcel, LLC. 13p.	27-Mar- 2013

Inert ingredient information may be entitled to confidential treatment

Manufacturing process information may be entitled to confidential treatment

FINDINGS:

1.	Confidential Statement of Formula. The nominal concentration of the bound
	active ingredient on the CSF and label is based on the analytic determination
	rather than based on proportional formulation from a known EPA registered
	source of active. The final revised CSFs for the basic
	and alternate are dated March 26, 2013. Wider certified limits
	were requested based on the heterogeneity of the ingredients and the
	imprecision of the analytical method. These revised CSFs and the wider certified
	limits are acceptable.

- 2. Proposed Product Label: The chemistry portions of the product label appear to be accurate and complete.
- 3. Product Chemistry Groups A and B.
 - a. Enforcement analytical method (Guideline 830.1800) and a (Guideline 830.1700) preliminary analysis were provided with the submission.
 - Because only a portion of the silyl quat active ingredient from the registered source product is bound to the sand, analysis of the sand was required to determine the % wgt of active in the final product.
 - ii. The analysis performed, was to estimate the amount of active based on determination of the presence of a constituent of that active ingredient.
 - The same method was used and validated as the analytical enforcement method for use with this product.
 - iv. It was found that these methods overestimated the concentration of active in the product due to the presence of a containing impurity in the source product which also bound to the sand. Subsequent to this finding, the preliminary analysis data was recalculated to take this into account.
 - v. The preliminary analysis as well as the enforcement method was found to be acceptable though not as precise as traditional titration methods for guaternary compounds.
 - b. A standard one year storage stability and corrosion characteristic studies were not provided with the submission. Considering the nature of this product and its use pattern, this may be replaced by an accelerated storage stability study. This study is suitable for this product due to its solid state properties and low volatility of the active ingredient. The study is described in the website link:

http://www.epa.gov/pesticides/regulating/final-signed-acc-ss-cc-memo.pdf

CONCLUSION:

The revised basic Alternate and Alternate CSFs dated March 26, 2013 and the proposed product label are found to be acceptable. Except for the product storage stability and corrosion characteristics, that is in process, the product chemistry groups A and B data requirements have been satisfied.

PRODUCT CHEMISTRY REVIEW

 CONFIDENTIAL STATEMENT OF FORMUL 		CONFIDENTIAL	STATEMEN	IT OF FORM	IULA
--	--	--------------	----------	------------	-------------

		*	
а. Ту	oe of formulation and source registration	c	
:	Non-integrated formulation system Are all TGAIs used registered? Integrated formulation system	Ye	es [X] No [][es [X] No [] es [] No [X]
b. Cle	earance of inerts for non-food or food use The product is cleared for food use und 180.950.		80.940 and
	Note: This product is not intended for PC codes. All formulation components "Inert Ingredients Permitted for Use in available at http://www.epa.gov/opprd0	s are listed on th Nonfood Use P	ne EPA document esticide Products,"
c. Ph	ysical state of product:	Sc	olid (Sand)
	e chemical IDs and analytical information y, pH, and flammability are consistent w		
υ.		Yes [X]	No []
e. The	e NCs and CLs are acceptable.	Yes [X]	No []
hetero	Request for wider certified limits were be geneity of the product and the imprecisi ate the concentration of the product.		
f. Act	ive ingredients		
	Active Ingredient Nominadecanaminium, N,N-dimethyl-trihydroxysilyl) propyl], chloride		
g. Fo	r products produced by an integrated for	mulation syster	n:
•	Do all impurities of toxicological signification [] No [] Not appli	cance have a U	CL?
•	Have all impurities of ≥ 0.1% in the pro Yes [] No [] Not appli	oduct been ident icable [X]	tified?

11	PRODUCT LABEL				
	a. The active ingredient			NC) is consiste	ent with the
	CONFIDENTIAL STATE	MENT OF FORM	MULA.	Yes [X]	No []
	b. The formula contains	one of the follow	ving:		
	10% or more of a		late:	Yes []	No [X]
	 1.0% or more of 			Yes []	No [X
	 sodium nitrite at a 			Yes []	No [X
	 a toxic List 1 iner 			Yes []	No [X]
	 arsenic in any for 	m:		Yes []	No [X]
	If "yes" to any of footnote indicating		the inert ingre	dients statemer	nt contain
	, comoto maioam	The state of the s	No []	Not applica	able [X]
	d. Appropriate warning scharacteristics of the pro			bility or explosi	ve
	The second secon	Yes[]	No []	Not applica	able [X]
	e. The storage and disp compliance with PR Noti for all other uses.				
	Tot all other ases.	Yes [X]	No []		
	f. The product requires a LCL (based on the 1-year	and the second filter and a proposition of the second filter of the seco			elow the

Note: A 1 year GLP-compliant storage and corrosion characteristic or equivalent accelerated storage stability studies are required.

Table A: Product Chemistry (Series 830, Group A)

Data Requirements	Acceptance of Information	MRID No.
830.1550 Product Identity ¹	Α	48992201
		and CSF
830.1600 Description of	A	48992201
Materials		and CSF
830.1620 Production Process ²	NA	
830.1650 Formulation Process ³	A	48992201
830.1670 Formation of	Α	48992201
Impurities ⁴		and
		49042401
830.1700 Preliminary	Provided because only a proportion	48992201and
Analysis ⁵	of the active ingredient bound silica	Supplemental
	substrate	49090001
		49090002
830.1750 Certified Limits ⁶	A – Wider certified limits were proposed, base on imprecision of analytic method EPA standard certified limits. A signed certification statement was provided, as requested under OPPTS 830.1750(g).	48992201
830.1800 Enforcement	A – Analysis of Chloride content by	48992201
Analytical Method ⁷	titration/ion spectrophotometric	And
	method analysis after oxygen bomb	Supplemental
	combustion.	49090001 49090002
830.1900 Submittal of	[Samples are to be provided on a	
Samples	case-by-case basis for end-use products.]	

Explanation: A=acceptable; N=not acceptable (i.e., item was submitted but is not acceptable); NA=technically not applicable (i.e., not required); G=data gap (i.e., item was not submitted but is required); U=requires upgrading (i.e., item is unacceptable but upgradeable); W=waived; E=EPA estimate.

See Confidential Appendix A for additional information.

²For MP/EP products produced by an integrated formulation system.

³For products from a TGAI or MP.

⁴May be waived unless actual/possible impurities are of toxicological concern.

⁵Five batch analysis required for products produced by an integrated formulation system.

⁶If different from standard CLs recommended in 40 CFR 158.175, this should be discussed in Confidential Appendix A.

⁷Abbreviate method used as follows: gas chromatography (GC), infrared (IR), ultraviolet absorption (UV), nuclear magnetic resonance (NMR), etc.

Table B: Physical and Chemical Characteristics (Series 830, Group B)

Physical/Chemical Properties*	Acceptance of Data	Value or Qualitative Description	MRID No.
830.6302 Color	Α	Tan-white	48992201
830.6303 Physical State	Α	Solid (sand)	48992201
830.6304 Odor	Α	Practically odorless	48992201
830.6313 Stability to Normal and Elevated Temperatures, Metals, and Metal Ions	NA	[Not required for end-use products.]	(a)
830.6314 Oxidation/ Reduction; Chemical Incompatibility	NA	Does not contain an oxidizing or reducing agent	48992201
830.6315 Flammability/ Flame Extension	NA	Does not contain combustible materials	48992201
830.6316 Explodability	NA	The product does not contain an explosive material.	48992201
830.6317 Storage Stability	G	AIRL Study # 243172 cited as showing stability of several lots over a year but does not follow as a guideline study. Recommend an accelerated storage stability.	48992201
830.6319 Miscibility ¹	A	Not an emulsifiable liquid will not be diluted with petroleum solvents	48992201
830.6320 Corrosion Characteristics	A	Product is predominantly Silicon dioxide non reactive to plastic packaging	48992201
830.6321 Dielectric Breakdown Voltage	A	NA -The end use product is not intended for use in or around electrical equipment.	48992201
830.7000 pH ²	Α	The pH 6.43	48992201
830.7050 UV/Visible Absorption	NA	[Not required for end-use products.]	
830.7100 Viscosity	NA	NA- product is solid granular	J
830.7200 Melting Point/Melting Range	NA	[Not required for end-use products.]	

Physical/Chemical Properties*	Acceptance of Data	Value or Qualitative Description	MRID No.
830.7220 Boiling Point/Boiling Range	NA	[Not required for end-use products.]	
830.7300 Density/Relative Density/Bulk Density	Α	Pour Density 1.404 g/mL, Tap density 1.468 g/mL	48992201
830.7370 Dissociation Constants in Water	NA	[Not required for end-use products.]	
830.7550/830.7560/830.7570 Partition Coefficient	NA	[Not required for end-use products.]	
830.7840/830.7860 Water Solubility	NA	[Not required for end-use products.]	
830.7950 Vapor Pressure	NA	[Not required for end-use products.]	

Explanation: A=acceptable; N=not acceptable (i.e., item was submitted but is not acceptable); NA=technically not applicable (i.e., not required); G=data gap (i.e., item was not submitted but is required); U=requires upgrading (i.e., item is unacceptable but upgradeable); W=waived; E=EPA estimate.

^{*} Provide brief description, e.g., color – yellow or property value, e.g., density 1.25 g/cc. Unless otherwise indicated, the property should be at 25°C.

¹If product is an emulsifiable liquid ²If product is dispersible with water